


FILE NO.: 2300-060	CEDAR RAPIDS METROPOLITAN AREA STANDARD DETAILS FOR PUBLIC IMPROVEMENTS		NO. 2300-060
APPROVAL DATE: APRIL 2003			
REVISION NO.: 1	SANITARY SERVICE LINE SHEET 1 OF 2		
REVISION DATE: APRIL 2003			



NOTE:

1. THE 3 O'CLOCK AND 9 O'CLOCK POSITIONS SHALL BE USED ONLY FOR RECONNECTION OF EXISTING SERVICES ON SEWER REPLACEMENT PROJECTS AND ONLY WITH THE APPROVAL OF THE ENGINEER.

2. USING A 6-INCH ON 8-INCH WYES, THEN REDUCING TO MATCH 4-INCH SERVICE IS PERMITTED IF SERVICE WYE CAN BE ORIENTED BETWEEN 10 O'CLOCK AND 2 O'CLOCK, IF NOT A 4-INCH ON 8-INCH SERVICE WYE IS REQUIRED.

## SERVICE WYE ORIENTATION

FILE NO.: 2300-060
APPROVAL DATE: APRIL 2003
REVISION NO.: 1
REVISION DATE: APRIL 2003

### CEDAR RAPIDS METROPOLITAN AREA STANDARD DETAILS FOR PUBLIC IMPROVEMENTS

## SANITARY SERVICE LINE SHEET 2 OF 2

NO.  
2300-060