



SIGNAGE SHALL BE INCLUDED ON ALL SIGNAGE. BRAILLE SHALL HAVE A DOMED OR ROUNDED SHAPE AND SHALL COMPLY WITH 703.3.1. BRAILLE SHALL BE POSITIONED BELOW THE CORRESPONDING TEXT. IF TEXT IS MULTI-LINED, BRAILLE SHALL BE PLACED BELOW THE ENTIRE TEXT. BRAILLE SHALL BE SEPARATED 3/8" MINIMUM FROM ANY OTHER TACTILE CHARACTERS AND 3/8" MINIMUM FROM RAISED BORDERS AND DECORATIVE ELEMENTS.

ACCESSIBLE ENTRANCE DIRECTIONAL SIGN

SCALE: 3" = 1'-0"




SIGNAGE SHALL BE INCLUDED ON ALL SIGNAGE. BRAILLE SHALL HAVE A DOMED OR ROUNDED SHAPE AND SHALL COMPLY WITH 703.3.1. BRAILLE SHALL BE POSITIONED BELOW THE CORRESPONDING TEXT. IF TEXT IS MULTI-LINED, BRAILLE SHALL BE PLACED BELOW THE ENTIRE TEXT. BRAILLE SHALL BE SEPARATED 3/8" MINIMUM FROM ANY OTHER TACTILE CHARACTERS AND 3/8" MINIMUM FROM RAISED BORDERS AND DECORATIVE ELEMENTS.

ACCESSIBLE ENTRANCE SIGN


) (**11**)—


SCALE: 3'' = 1'-0''




1 RESTROOM

SCALE: 3/4" = 1'-0"







BATHROOM LAYOUT DETAIL

REFLECTIVE SURFACE IS 40" MAX AFF.

MIRROR TO BE MOUNTED SUCH THAT BOTTOM OF

CEDAR RAPIDS

City of Five Seasons®

500 15TH AVENUE SW,
CEDAR RAPIDS, IA 52404
PH: (319) 286-5831

Architect:

Ament
DESIGN

Architecture • Engineering • Surveying

625 32ND AVENUE SW
CEDAR RAPIDS, IOWA 52404
PH: (319) 378-1401
FAX: (319) 378-1975

oject

CEDAR RAPIDS POLICE STATION AND SHOOTING RANGE ADA COMPLIANCE WORK

505 1ST STREET SW, CEDAR RAPIDS, IA 52404 2727 OLD RIVER ROAD SW

PROJECT # : G0025.R0682

CEDAR RAPIDS, IA 52404

Description	Date	No.
QA/QC REVIEW	05/18/2017	
BID SET	05/26/2017	
BID SET - REV 001	07/10/2017	
ADDENDUM #1 1	07/24/20	017

Drawing
POLICE STATION - DETAILS

SCALE: 1/2" = 1'-0"

G3.01