

REQUEST FOR BID ELGIN PELICAN STREET SWEEPER OR EQUIVALENT – RFB #PUR0817-027 CITY OF CEDAR RAPIDS, IOWA – FLEET SERVICES DIVISION August 8, 2017

SECTION 1.0 - NOTICE OF REQUEST FOR BIDS (RFB)

1.1	Scope of Work - The City of Cedar Rapids is seeking bids from qualified Vendors for the purchase and delivery of
	one (1) Elgin Pelican NP street sweeper or equivalent for the Fleet Services Division, 500 15 th Avenue SW, Cedar
	Rapids, Iowa. The unit must be new and unused, demonstrator models are not acceptable. Pricing shall include
	all freight, shipping, packaging and delivery fees. FOB, in terms of loss or damage, is Destination. Complete
	specifications are listed on the Bid Pricing Form, Attachment A.

1.2 RFB Timeline

Name of the Bid	Elgin Pelican Street Sweeper or Equivalent, RFB #PUR0817-027					
Date of Issuance	August 8, 2017					
Deadline for Questions	Tuesday, August 15, 2017 at 3:00pm CDT					
Deadline for Bid Submittal	Tuesday, August 22, 2017 before 3:00pm CDT Bids time stamped 3:00pm or after are late					
Submit Bid to: >>>>>>>>>>>>>	Sealed Bid: Elgin Pelican Street Sweeper or Equivalent, RFB #PUR0817-027					
Submit in a sealed envelope.	Office of the City Clerk-City Hall					
Address exactly as stated.	101 First Street SE					
City Clerk Office Hours 8 am to 5 pm, Mon-Fri	Cedar Rapids IA 52401					
Method of Submittal	US Mail, Overnight Delivery or In Person Electronic and fax proposals are not acceptable					
Contact Person, Title E-mail Address	Heather Mell, CPPB, Purchasing Agent h.mell@cedar-rapids.org					
Phone/ Fax Numbers	Phone: 319-286-5117 Fax: 888-815-3659					

- 1.3 The City is not responsible for delays occasioned by the U.S. Postal Service, the internal mail delivery system of the City, or any other means of delivery employed by the Bidder. Similarly, the City is not responsible for, and will not open, any bid responses that are received on or after the time stated above. Late submittals will be retained in the RFB file, unopened. No responsibility will be attached to any person for premature opening of a bid not properly identified.
- 1.4 Bids will be publicly opened on Tuesday, August 22, 2017 at 3:00pm CDT (our clock) in City Hall, 101 First Street SE, Cedar Rapids 52401. The main purpose of this opening is to read the name(s) of the Bidders(s) and the submitted pricing, not to serve as a forum for determining the apparent low bidder(s).
- 1.5 Bids will be evaluated promptly after opening. After an award is made, a bid tabulation summary will be sent to all companies who submitted a bid. Bid results <u>will not</u> be given over the telephone or prior to award. Bids may be withdrawn any time prior to the scheduled closing time for receipt of bids; no bid may be modified or withdrawn for a period of sixty (60) calendar days thereafter.

------ End of Section 1.0 -----

SECTION 2.0 – INSTRUCTIONS TO BIDDERS

2.1 FEDERAL FUNDING PROVISIONS

This Project is not federally funded.

- 2.2 Whenever used in this RFB the following terms shall have the meaning given as follows: City shall mean the City of Cedar Rapids, Iowa. Vendor/Contractor shall mean the company providing street sweeper to the Fleet Services Division.
- 2.3 A company representative who is authorized to bind the Company will sign on behalf of the company to indicate to the City that you have read, understand and will comply with the instructions and all terms and conditions stated in this Request for Bid and all attachments.
- 2.4 Insurance Requirements

Vendor, at its own expense, shall procure and maintain workers compensation, general liability and automobile liability insurance so as to cover risks which shall arise directly or indirectly from Vendor's obligations and activities. The Vendor shall furnish the City with a copy of the Certificate of Insurance as proof of the Vendor's insurance policies, if requested by the City.

- 2.5 This Request for Bid does not commit the City to make an award, nor will the City pay any costs incurred in the preparation and submission of bids, or costs incurred in making necessary studies for the preparation of bids.
- 2.6 Addenda

Any matter of this bid package that requires explanation or interpretation must be inquired into by the Bidder in writing by Tuesday, August 15, 2017 at 3:00pm CDT. FAX or E-MAIL all questions to Heather Mell 888-815-3659 or <u>h.mell@cedar-rapids.org</u>). Any and all questions will be responded to in the form of written addenda to all Bidders. All addenda that you receive shall be acknowledged and dated on the bottom of the Signature Page Form (Attachment A). All Addenda will be posted on the City's website. It is the Bidder's responsibility to check for addenda. Verbal information obtained otherwise will NOT be considered in awarding of bids.

www.cedar-rapids.org/local_government/departments_g_-_v/purchasing_services/current_bid_opportunities_list.php

2.7 Exceptions to Documents

The Bidder shall clearly state in the submitted bid any exceptions to, or deviations from, the minimum bid requirements, and any exceptions to the terms and conditions of this RFB. Such exceptions or deviations will be considered in evaluating the bids. Bidders are cautioned that exceptions taken to this RFB may cause their bid to be rejected.

2.8 Silence of Specifications

Commercially accepted practices shall apply to any detail not covered in the specification and to any omission of the specification. Any omission or question of interpretation of the specification that affects the performance or integrity of the goods being offered shall be addressed in writing and submitted with the Bid.

2.9 Incomplete Information

Failure to complete or provide any of the information requested in this Request for Bid, including references, and/or additional information as indicated, may result in disqualification by reason of "non-responsiveness".

- 2.10 In the event of conflict, the Special Terms and Conditions shall take precedence over the General Terms and Conditions, included herein.
- 2.11 Delivery
 - 2.11.1 For purposes of this bid and subsequent awards, City holiday closures are typically New Year's Day, President's Day, Good Friday, Memorial Day, Independence Day, Labor Day, Veteran's Day, Thanksgiving Day and the day following, Christmas Eve and Christmas Day. Deliveries generally will not be accepted on those dates.
 - 2.11.2 The delivery time or completion date, as stated in the Bid Submittal Form, shall be the time required to deliver the complete item(s) after the receipt of the order or award of the Contract. Where multiple items appear on a Bid or Proposal request, the Bidder shall, unless otherwise stated by the City, show the delivery time for each item separately.

- 2.11.3 It is mandatory that once the dealership has received the purchase order and the order is placed, <u>a copy</u> of the "Order Dora" or a document from the manufacturer stating that the vehicle ordered was placed on a certain date MUST be sent to Joy Huber, Fleet Services Manager within 10 calendar days after the vehicle order has been placed.
- 2.11.4 After the build date and final delivery date has been determined between the awarded bidder and the factory, notice (in writing) must be given to Joy Huber, Fleet Services Manager. If the delivery date changes and no notice is given to the City of that change, the lack of notice will be reflected in the dealership's performance when future bids are awarded.
- 2.11.5 New Vehicle Pre-Delivery Service is to be performed before the new vehicle is delivered to the City and shall include but may not be limited to the following services:
 - a) All fluid levels checked and maintained with the proper grade and type of fluids.
 - b) All vehicles shall have a minimum of 10 gallons of fuel at the time of the delivery/inspection.
 - c) Pre-delivery inspection and service on the vehicles.
 - d) The interior of all units shall have been cleaned and the exterior washed.
 - e) The City shall assume that when the vehicle is delivered, inspection completed and final acceptance is given, said vehicle(s) is ready for immediate and continuous operation.
 - f) Vehicle delivery shall not take place during inclement weather that could result in permanent damage to the vehicle.
- 2.11.6 Delivery, inspection and acceptance of all Vehicles shall be completed by either the Commercial Account Manager or an appropriate Dealer Representative who is authorized and able to complete a thorough inspection of the specified vehicle and who is authorized to sign off on any necessary paperwork to complete the transfer of title for the vehicle. If a proper Dealer Representative is not offered when inspection is to be handled, the City has the right to reject delivery and reschedule inspection and acceptance of said vehicle.
- 2.11.7 The following items will be prepared and delivered to the City of Cedar Rapids at time of delivery:
 - a) Warranty documentation made out to the City of Cedar Rapids.
 - b) All appropriate equipment service instructions and warranty instructions.
 - c) One (1) complete set of manuals is required. Manual set shall include the following:
 - 1) Shop manual with electrical schematics
 - 2) Parts manual
 - 3) Service manual
 - 4) Operators manual
 - 5) Owners manual
 - d) Keys three (3) for each lock on vehicle
 - e) Copy of original City Purchase Order
 - f) Manufacturers Certificate of Origin
- 2.11.8 The City will withhold payment for the unit until the manuals are delivered as required above. In addition to other factors affecting acceptance, the system will not be considered as acceptable to the City of Cedar Rapids if any document listed above has not been prepared and delivered. Delivery of vehicle is by appointment only.
- 2.11.9 <u>Deliver to</u>:

Joy Huber Fleet Services Manager 500 15th Ave SW Cedar Rapids, IA 52404 (319) 286-5886

- 2.12 Inspection and Acceptance
 - 2.12.1 The Dealer shall arrange a final inspection of the unit with Joy Huber, Fleet Services Manager, prior to final acceptance by the City. If it is found that the unit does not conform to the specifications as written,

the City reserves the right not to accept the unit until such time as all corrections have been made by the Dealer so as to meet the specifications. If rejection of unit occurs, all costs (transportation, fuel, etc.) shall be at the expense of the Contractor until the City finds the vehicle fully acceptable according to agreed upon specifications.

- 2.12.2 All exceptions shall be stated no matter how seemingly minor. The following requirements shall be strictly adhered to:
 - a) Exceptions will be considered if they are equal to or superior to that specified and provided they are listed and fully documented and explained on a separate page that shall be entitled: "EXCEPTIONS TO SPECIFICATIONS". The exception list shall refer to the heading & specification item number (i.e. Engine, item #6);
 - b) Bids taking total exception to specifications shall not be accepted.
 - c) Vehicles will be inspected upon delivery for compliance with specifications. Deviations shall not be allowed and shall be cause for rejection of unit unless they were originally listed in supplier's bid <u>and</u> accepted in writing by the City of Cedar Rapids.

2.13 Signage

No markings shall be added to any product(s) that the City purchases, specifically, the dealer name, location etc. If any product(s) are delivered with such advertising, the City reserves the right to refuse delivery of said products or, minimally, to have such markings removed satisfactorily to the City before product(s) is accepted.

2.14 Descriptive Literature

Bidders shall include the manufacturer's literature that describes the basic or standard equipment to be furnished. Descriptive literature will be used in addition to bid specifications in determining award. However, if literature depicts something in conflict with City bid specifications, it is the bidder's responsibility to make that clear, in writing, to the City.

Be advised that any conversations (in reference to this RFB) between bidders and any City employee, City official or City Project Manager, outside of the Purchasing Services Division, during the entire competitive bidding process is strictly prohibited. Such actions will result in removal of the Vendor from the vendors list and rejection of the Vendor's bid. The ONLY official position of the City is that position which is stated in writing and issued by the Purchasing Services Division. No other means of communication, whether written or oral, shall be construed as a formal or official response statement.

DOCUMENTS TO BE SUBMITTED WITH THE BID

- 1. BID SIGNATURE PAGE ATTACHMENT A
- 2. BID SUBMITTAL FORM ATTACHMENT A
- 3. LOCAL BUSINESS CERTIFICATE, IF APPLICABLE ATTACHMENT A
- 4. DESCRIPTIVE LITERATURE

----- End of Section 2.0 -----

SECTION 3.0 – SPECIAL TERMS AND CONDITIONS

- 3.1 Payment Terms and Invoice Submittal
 - 3.1.1 Payment terms for the equipment shall be net forty-five (45) days upon receipt of an acceptable original invoice <u>and</u> after the equipment are received, inspected and accepted and all required documentation is received in a format acceptable to the City.
 - 3.1.2 Invoices shall include the following information:
 - Vendor name and address
 - Date of Delivery
 - City PO number
 - Description of equipment
 - The total amount being invoiced
 - The Project Number (RFB #PUR0817-027)
 - 3.1.3 Surcharges (i.e. fuel surcharges, restocking) shall NOT be allowed to be added to invoices as an additional line item.
 - 3.1.4 All invoices and supporting documentation shall be submitted at the intervals as agreed upon:
 - a) In a pdf format via e-mail to: <u>accountspayable@cedar-rapids.org</u> <u>or</u>
 - b) Via US mail to: City of Cedar Rapids, Finance Department Accounts Payable, 101 First Street SE, PO Box 2148, Cedar Rapids, IA 52406-2148.
 - 3.1.5 The City may withhold payment for reasons including, but not limited to the following:
 - a) Equipment that is defective, inaccurate, flawed, unsuitable, nonconforming or incomplete due to negligence of the Vendor;
 - b) Damage for which Vendor is liable;
 - c) Valid liens or claims of lien;
 - d) Valid claims of Subcontractors or other persons;
 - e) Delay in the delivery of the equipment;
 - f) Inability of Vendor to complete the delivery of the equipment;
 - g) Failure of Vendor to properly complete or document any pay request or invoice;
 - h) The cost to City, including attorneys' fees and administrative costs, of correcting any of the aforesaid matters.
- 3.2 Treatment of Documents and Records Access/Retention

The Vendor shall maintain all accounting records and other documentation generated in providing the goods/equipment under this Bid.

The City or any duly authorized representative of the City shall have access to all such information for the purpose of inspection, audit and copying during normal business hours. All such information shall be retained for five (5) years from the date of final payment and after all other pending matters under regarding this purchase are closed.

This access shall be made available to the City or duly authorized agent and shall be considered incidental to the Scope of Work contained herein. As such, there shall be no additional compensation allowed the Vendor for maintaining this information and allowing the herein described access.

- 3.3 If Project is funded in any way utilizing Federal Funds the Contractor acknowledges that it may be required to submit to an audit of funds paid through the Contract and as may be conducted in accordance with provisions of the Office of Management and Budget Circular A-133 (Audit of States, Local Government and Non-Profit Organizations).
- 3.4 Estimated Quantities

The City reserves the right to order decreased or increased amounts from those specified. However, the estimates are as accurate as we are able to determine. Actual quantities, whether lesser or greater than estimated, will not affect the prices as bid.

------ End of Section 3.0 -----

SECTION 4.0 – BID EVALUATION AND AWARD

- 4.1 Award Any award(s) made by the City of Cedar Rapids is subject to prior approval by the City of Cedar Rapids City Council.
 - 4.1.1 Award shall be made to the responsible Bidder submitting the lowest responsive bid with regard to the specifications set forth herein. The City reserves the right to accept or reject any or all bids; to request rebids; to award bids item-by-item, by groups or lump sum; and to waive technicalities and formalities where is it deemed advisable in protection of the best interests of the City. In addition to the quoted price, the following is a partial list of the criteria that may be used in our determination of Vendor responsibility and responsiveness:
 - Adherence to specifications;
 - Current lead-time quoted;
 - Past experience and service provided by Bidder;
 - Favorable references from firms with projects of similar scopes that indicate that the Bidder has the ability to carry out the Work/Services and provide the products specified.
 - 4.1.2 If the evaluation team determines that the bid should be awarded, the process shall be as follows:
 - a) The evaluation team shall determine which responsible Bidder has submitted the lowest responsive bid.
 - b) For purchases equal to or greater than \$50,000, the City Council shall consider a resolution authorizing the purchase. **Note**, as provided for by Section 4.03 of the Cedar Rapids Municipal Code, no award shall be deemed to be created and exist, unless and until the City Council adopts a resolution authorizing the purchase.
 - c) The City issues a purchase order to the Vendor. The purchase order shall constitute authorization for the equipment to be ordered.
 - 4.1.3 If the evaluation team determines that all the bids received should be rejected, the Bidders shall be notified by the Purchasing Services Division accordingly. At that point, the City may, or may not, re-bid the project.
- 4.2 The City of Cedar Rapids reserves the right to use both primary and secondary suppliers or to otherwise use multiple sources to protect the City's overall interests.
- 4.3 The Company must not have any unresolved performance issues with the City of Cedar Rapids. The Company's performance as a prime Contractor or subcontractor in previous City contracts shall be taken into account when evaluating the Company's submittal for this Request for Bid. The City may survey other local agencies during the bid evaluation period to make sure the Company does not have any unresolved or unsatisfactory performance issues. The City reserves the right to reject the Company's submittal based on its assessment of the Company's prior performance.
- 4.4 In case of tie bids, the City will make the award based on the priority factors as outlined in the City of Cedar Rapids Procurement Manual.

http://www.cedar-rapids.org/document_center/Purchasing/Tie%20Bid%20Procedure_14.pdf

4.5 Buy Local Program

The Cedar Rapids City Council has passed a resolution adopting a Buy Local Program for the procurement of Goods and/or Work by competitive bid or proposal. Preference shall be applied to acceptable bids or proposals from businesses located within Linn County who have submitted a notarized Local Business Certificate. See Attachment A for details. If your company is already registered, or if this does not apply to your business, do not complete the form.

------ End of Section 4.0 -----

SECTION 5.0- GENERAL TERMS AND CONDITIONS - BIDS

ACCELERATED PAY DISCOUNTS - Accelerated discounts should be so stated on the Signature Page. If quick pay discounts are offered, the City reserves the right to include that discount as part of the award criteria. Prices bid must, however, be based upon payment in net forty-five (45) days after receipt, inspection and acceptance. In all cases, quick pay discounts will be calculated from the date of the invoice or the date of acceptance, whichever is later.

ADA COMPLIANCE

- 1. The Contractor shall comply with all applicable provisions of the Americans with Disabilities Act (Public Law 101-336, 42 U.S.C. 12101 et seq.) and applicable Federal regulations under the Act.
- 2. Bids for design, construction, programs, policies and concessions of any type shall comply with the 2010 Standards for Accessible Design, the ADA title II regulation, Section 504 of the 1973 Rehabilitation Act, and similar statutes and regulations prohibiting discrimination on the basis of disability.
- 3. The Contractor shall ensure that its websites and all online services, including those websites or online services provided by third parties upon which Cedar Rapids relies to provide services or content, comply with , at minimum, Web Content Accessibility Guidelines WCAG 2.0 AA.

ASSIGNMENT - The City and the Contractor each is hereby bound and the partners, successors, executors, administrators and legal representatives of the City and the Contractor are hereby bound to the other Party to the Contract and to the partners, successors, executors, administrators and legal representatives (and said assigns) of such other Party, in respect of all covenants, agreements and obligations of the Contract. Any assignment or attempt at assignment made without prior written consent of the City shall be void.

BID CURRENCY/LANGUAGE - All bid prices shall be shown in US Dollars (\$). All prices must remain firm for the duration of the contract regardless of the exchange rate. All bid responses must be submitted in English.

BID FORM - Each Bidder must submit an original bid and additional copies as required on the forms attached. The Bidder shall correctly sign the bid, and the bid may be rejected if it shows any omissions, alterations of the form, additions not called for in the bid, or any irregularities of any kind. In case of a discrepancy between the unit price and the extended price, the unit price shall prevail.

BID INFORMATION IS PUBLIC - All documents submitted with any bid shall become public documents and subject to Iowa Code Chapter 22, which is otherwise known as the "Iowa Open Records Law". By submitting any document to the City of Cedar Rapids in connection with a bid, the submitting party recognizes this and waives any claim against the City of Cedar Rapids and any of its officers and employees relating to the release of any document or information submitted. Each submitting party shall hold the City of Cedar Rapids and its officers and employees harmless from any claims arising from the release of any document or information made available to the City of Cedar Rapids arising from any opportunity. Bid information requested by the public or other bidders will be provided in an alternative format if the requestor is a person with a disability and requires an alternative form for comprehension.

BID REJECTION OR PARTIAL ACCEPTANCE - The City reserves the right to accept or reject any or all bids or parts thereof. The City further reserves the right to waive technicalities and formalities in bids, as well as to accept in whole or in part such bids where it is deemed advisable in protection of the best interests of the City.

BROCHURES - Bids shall include adequate brochures, latest printed specifications and advertising literature, describing the product offered in such fashion as to permit ready comparison with our specifications on an item-by-item basis where applicable.

CONFLICT OF INTEREST - Contractor represents, warrants, and covenants that no relationship exists or will exist during the Contract period between the Contractor and the City that is a conflict of interest. No employee, officer or agent of the Contractor shall participate in the selection or in the award if a conflict of interest, real or apparent, exists. The provisions of Iowa Code ch. 68B shall apply to the Contract. If a conflict of interest is proven to the City, the City may terminate the Contract, and Contractor shall be liable for any excess costs to the City as a result of the conflict of interest. The Contractor shall establish safeguards to prevent employees, consultants, or members of governing bodies from using their positions for purposes that are, or give the appearance of being, motivated by the desire for private gain for themselves or others with whom they have family, business, or other ties. The Contractor shall report any potential, real, or apparent conflict of interest to the City.

DELIVERY - The delivery time or completion date, as stated in the Bid Form, shall be the time required to deliver the complete item(s) after the receipt of the purchase order. Where multiple items appear on a Bid request, the Bidder shall, unless otherwise stated by the City, show the delivery time for each item separately.

If only a single delivery time is shown, it will mean that all goods included in the Bid can and will be delivered on or before the specified date. The Bidder agrees that the delivery will be completed in the time stated, assuming that the time between the Bid Opening and the placing of the order does not exceed the number of days so stipulated. The right is reserved to reject any Bid in which the delivery time indicated is considered sufficient to delay the operational needs for which the goods are intended.

City holiday closures are typically New Year's Day, President's Day, Good Friday, Memorial Day, Independence Day, Labor Day, Veterans Day, Thanksgiving Day and the day following, Christmas Eve and Christmas Day. Deliveries generally will not be accepted on those dates.

Notice of a late delivery arrival should be made no less than twenty-four (24) hours prior to the originally scheduled time. Otherwise, the City may not be available to facilitate the receiving and the shipment will be returned to you or its originating point.

DISPUTES - Should any disputes arise with respect to the Contract; the Parties agree to act immediately to resolve such disputes. Time is of the essence in the resolution of disputes. The Contractor agrees that, the existence of a dispute notwithstanding, it will continue without delay to carry out all of its responsibilities under the Contract that are not affected by the dispute and the City shall continue to make payment for all work properly performed. Should the Contractor fail to continue to perform its responsibilities regarding all non-disputed work, without delay, any additional costs incurred by the City or the Contractor as a result of such failure to proceed shall be borne by the Contractor. The unintentional delayed payment by the City to the Contractor of one or more invoices not in dispute in accordance with the terms of the Contract will not be cause for Contractor to stop or delay Work.

EXTENSION - Any or all of the awards made as a result of this Request for Bid may be extended for an additional period of time if mutually agreed between the parties.

FOB POINT AND FREIGHT/DELIVERY CHARGES – The FOB point, in terms of loss or damage, as well as where title to the goods is passed, shall be FOB-Destination. Freight/delivery charges are to be included in the quoted price of the goods, rather than as a separate line item.

FORCE MAJEURE - Force majeure shall be any of the following events: acts of God or the public enemy; compliance with any order, rule, regulation, decree, or request of any governmental authority or agency or person purporting to act therefore; acts of war, public disorder, rebellion, terrorism, or sabotage; floods, hurricanes, or other storms; strikes or labor disputes; or any other cause, whether or not of the class or kind specifically named or referred to herein, not within the reasonable control of the Party affected. A delay in or failure of performance of either Party shall not constitute a default hereunder nor be the basis for, or give rise to, any claim for damages, if and to the extent such delay or failure is caused by force majeure. The Party who is prevented from performing by force majeure shall be obligated, within a period not to exceed fourteen (14) days after the occurrence or detection of any such event, to give notice to the other Party setting forth in reasonable detail the nature thereof and the anticipated extent of the delay, and shall remedy such cause as soon as reasonably possible, as mutually agreed between the Parties.

INDEMNIFICATION - The Contractor shall, and hereby agrees to, protect, defend, indemnify and hold harmless the City of Cedar Rapids, its officers and employees from any and all claims, settlements, judgments, and damages of every kind and nature made, to include all costs associated with the investigation and defense of any claim, rendered or incurred by or on behalf of the City, its officers, and employees, that may arise, occur, or grow out of any errors, omissions, or acts, done by the Contractor, its employees, or any independent Contractors working under the direction of either the Contractor in the performance of the Contract.

LAWS AND REGULATIONS - The Contract shall be governed, interpreted and enforced in accordance with all applicable federal, State of lowa, and local laws, ordinances, licenses and regulations of a governmental body having jurisdiction and shall apply to the Contract throughout, as the case may be. The Contractor certifies that in performing the Contract they will comply with all applicable provisions of the federal, state, and local laws, regulations, rules, and orders.

METHOD OF AWARDING - The City reserves the right to make awards based on the entire bid or on an item by item basis. However if Contractor's bid is based on an "all or none" condition, the City may consider their bid non-responsive and reject the entire bid.

NO GIFT STANDARD - The City of Cedar Rapids is committed to upholding the highest ethical standards in all of its business practices. This standard recognizes the need to avoid even the perception of improper gifts or favors to employees. Therefore, all suppliers have been asked to abide by the City's "No Gift" standard. The "No Gift" standard also applies to all offers of discounts or free items at any place of business targeted toward a City employee and not available to the general public, regardless of the value.

NON-COLLUSION STATEMENT – Neither the Contractor, nor anyone in the employment of the Contractor, has employed any person to solicit or procure the Contract nor will the Contractor make any payment or agreement for payment of any compensation in connection with the Contract. There is no contract, agreement or arrangement, either oral or written, expressed or implied, contemplating any division of compensation for Work rendered under the Contract or participation therein, directly or indirectly, by any other person, firm or corporation, except as documented in the Contract. Neither the Contractor, nor anyone in the employment of the Contractor, has either directly or indirectly entered into any agreement, participated in any collusion or otherwise taken any action in restraint of free competitive procurement in connection with the Contract.

NON-DISCRIMINATION AND EQUAL OPPORTUNITY - All Contractors that engage in contracts with the City of Cedar Rapids, Iowa agree as follows: The Contractor will not discriminate against any employee or applicant for employment because of race, sex, color, creed, ancestry, national origin, marital status, families with children, religion, age, disability, sexual orientation, gender identity, genetic information, status with regard to public assistance, status as a veteran or any classification protected by federal, state, or local law, (Protected Classes) except where age and sex are essential bona fide occupational requirements, or where disability is a bona fide occupational disqualification. Such action shall include, but not be limited to the following; (a) Employment, (b) Upgrading, (c) Demotion or transfer, (d) Recruitment and advertising, (e) Layoff or termination, (f) Rate of pay or other forms of compensation, and (g) Selection for training, including apprenticeship. The Contractor further assures that managers and employees comply with both the spirit and intent of federal, state, and local legislation, government regulation, and executive orders in providing affirmative action as well as equal opportunity without regard to the protected classes, as stated above. The Contractor will include, or incorporate by reference, the provisions of the nondiscrimination clause in every contract or subcontract that said provision will be binding upon each Contractor.

OVERSHIPMENTS, UNDERSHIPMENTS - Goods shipped in excess of quantity ordered may be returned at Bidder's expense. Similarly, when under-shipments are received, the City reserves the right to leave the purchase order open until goods are received, or to close the transaction if more cost effective for the City.

PURCHASE ORDER - A purchase order is an acceptance of your offer as stated in your bid. When a purchase order is accepted as an offer to buy, you must provide the City with a written acknowledgement of a promised ship date and freight carrier, or advise the City that merchandise has shipped or will ship on a particular time and date and the method of shipment.

REGULATORY AGENCY COMPLIANCE - Compliance with laws and regulations set forth by regulatory agencies is required. These agencies include, but are not limited to, OSHA – Occupational Safety & Health Agency, EPA – Environmental Protection Agency, ICC – Interstate Commerce Commission, DNR – Department of Natural Resources, and DOT – Department of Transportation. The City of Cedar Rapids expects that Contractors will offer expertise on conformance of regulations applying to the products they sell.

RIGHT TO PROTEST - Anyone wishing to file a protest concerning (1) the specifications, (2) the bid procedure or (3) the award of the contract must do so in writing in accordance with the City's Protest Procedure which is posted on the City's website at http://www.cedar-rapids.org/document_center/Purchasing/Protest%20Procedure_14.pdf

SAFETY DATA SHEETS - The Hazard Communication Standard (HCS) requires chemical manufacturers, distributors, and importers to ensure that each container of hazardous chemicals leaving the workplace is labeled, tagged, or marked and to provide Safety Data Sheets (SDS) to communicate the hazards of hazardous chemical products. It is the chemical supplier's responsibility to determine which products are covered and to provide SDS with the initial shipment. It is also the chemical supplier's responsibility to provide any updated or revised SDS, as they become available for any products sold and delivered to the City of Cedar Rapids. City of Cedar Rapids employees shall not accept a shipment of any chemical that does not have a SDS attached or currently on file. Safety Data Sheets shall be available in alternative formats if the requestor is a person with a disability and requires an alternative format for comprehension.

SPECIFICATIONS - Unless otherwise stated, every item provided in response to this Request for Bid shall be new, unused, and of current model under standard production by the manufacturer. Items shall be furnished complete with standard equipment and accessories as listed in the manufacturer's printed literature. Remanufactured, used, demonstrator models or refurbished items will not be accepted.

SPECIFICATION DEVIATIONS BY THE BIDDER - Any deviation from the specifications MUST be noted in detail, and submitted in writing on the bid Form. Completed specifications should be attached for any substitutions offered, or when amplifications are desirable or necessary. The absence of the specification deviation statement and accompanying specifications will hold the Bidder strictly accountable to the specifications as written herein. Failure to submit this document of specification deviation, if applicable, shall be grounds for rejection of the item when offered for delivery. If specifications or descriptive papers are submitted with bids, the Bidder's name should be clearly shown on each document.

SUBCONTRACTING – The Services/Work relating to this Project, or any portion thereof, may not be subcontracted without written approval from the City. All approved Subcontractors shall be listed in the resulting contract or in a written amendment to the contract.

SUSPENSIONS AND DEBARMENT - The Contractor hereby certifies, pursuant to 2 CFR pt. 180 and 2 CFR pt. 3000, that neither it nor its principles are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in the Contract by any federal agency. The Contractor further certifies that it is not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in any contracts with the City of Cedar Rapids or the State of lowa.

TAXES - The City of Cedar Rapids is exempt from sales tax and certain other use taxes. Any charges for taxes from which the City is exempt will be deducted from invoices before payment is made. The Cedar Rapids Tax ID number is 42-6004336.

WARRANTIES - GOODS

The Contractor warrants that all articles, materials and goods shall be consistent with manufacturer's specifications and will be free from defects. Without limitation of any rights which the City may have by reason of any breach of warranty, goods which are not as warranted may be returned at Contractor's expense within thirty (30) days after delivery, for either credit or replacement, as the City may direct without additional charge to the City.

WARRANTIES – INTELLECTUAL PROPERTY - Contractor represents and warrants that all the materials, goods and work produced, or provided to the City pursuant to the terms of the Contract shall be wholly original with the Contractor or that the Contractor has secured all applicable interests, rights, licenses, permits or other intellectual property rights in such materials, goods and work. The Contractor represents and warrants that the materials, goods and work, and the City's use of same, and the exercise by the City of the rights granted by the Contract shall not infringe upon any other work or violate the rights of publicity or privacy of, or constitute a libel or slander against, any person, firm, or corporation. Contractor further represents and warrants that the materials and works do not infringe upon the copyright, trademark, trade name, trade dress patent, statutory, common law or any other rights of any person, firm or corporation or other entity. The Contractor represents and warrants that it is the owner of or otherwise has the right to use and distribute the goods and work contemplated by the Contract.

------ End of General Terms and Conditions------

ATTACHMENT A

BID SUBMITTAL FORMS

For

ELGIN PELICAN STREET SWEEPER OR EQUIVALENT RFB #PUR0817-027

FORM NAME	Page
Bid Pricing Form	11
Signature Page Form	20
Buy Local Packet (submit only if applicable)	21

BID PRICING FORM

FOB POINT

The FOB Point, in terms of loss or damage, as well as where title to the goods is passed, shall be FOB - Destination.

FREIGHT CHARGES

Freight charges are to be included in the quoted price of the goods, rather than as a separate item unless otherwise noted.

BRAND NAMES

Unless otherwise indicated, the name of a certain brand, make or manufacturer does <u>not</u> restrict bidders to the specific brand, make or manufacturer named. It conveys the general style, type, character and quality of the article desired, and any article which the City in its sole discretion determines to be the equal of that specified, considering quality, workmanship, economy of operation and suitability for the purpose intended shall be accepted. Any brand name or manufacturer's reference used in this bid is descriptive NOT restrictive. It is used to indicate type and quality desired.

EQUIVALENTS

The name of any manufacturer mentioned in the specifications is for the purpose of establishing a minimum acceptable standard of quality desired by the City. On all items bid, the bidder shall indicate clearly the product being bid and, where applicable, shall supply catalog cuts and descriptive literature with the original copy of the bid. Equivalent products will be considered for all products unless it is specifically indicated for a particular product that no substitutions are allowed. It is the sole discretion of the City to make the determination if a product will be acceptable as an equivalent.

SPECIFICATION COMPLIANCE

Any supplier who willfully falsifies responses indicating compliance or non-compliance with the minimum requirements listed below will be subject to suspension and/or debarment from bidding. Vendors shall complete every line on the bid submittal forms (Does not meet Spec, Meets Spec or Exceeds Spec) and indicate the exact item being bid to meet the minimum specified item. An X, check mark, or yes will indicate the item specified is being provided. All bullet points must be acknowledged with the aforementioned. All exceptions shall be stated no matter how seemingly minor.

		Does Not	Meets	Exceeds	
	Minimum Specification	Meet Spec	Spec	Spec	Comments
1	General	•		-	
	Elgin Pelican NP street sweeper or equivalent				
	Three wheel configuration				
	Belt conveyor				
	3.6 cu yd front high dumper hopper				
	Hydrostatic transmission				
	Dual side brooms with variable down pressure				
	controlled from cab				
2	Chassis				
	Configuration shall be three wheel, rear steer.				
	Front steer configurations are not acceptable				
	For safety, steering strut shall have dual tires.				
	Single tire steer wheels shall not be acceptable in				
	case of flat tire				
	To protect the target vehicle receiving the hopper				
	discharge, sweeper shall have permanently fixed				
	heavy duty steel bumpers with rubber padding,				
	capable of limiting the forward movement of the				
	sweeper before the sweeper drive wheels or				
	chassis can impact the target vehicle				
	For maximum strength, chassis shall be fully				
	welded; formed channel and boxed tube style.				
	Bolt together chassis shall not be acceptable due				
	to limited structural strength Chassis shall have front and rear tow hooks				
	Engine compartment cover shall have two raising				
	assist cylinders				
	Rear axle shall be strut type, having a minimum				
	capacity of 7,400 lbs				

		Does Not	Mooto	Evcoods	
	Minimum Specification	Meet Spec	Meets Spec	Exceeds Spec	Comments
	Front axles shall be stub type, each having a	weet spec	spec	spec	Comments
	minimum capacity of 10,000 lbs				
	Cab interior environment shall be fully				
	conditioned by filtered fresh air heater /				
	pressurizer / defroster with adjustable vents				
3	Chassis Engine				
	Diesel engine shall be 4 cylinder, turbocharged,	[[1	
	dynamically counter balanced, 276 cu/in. (John				
	Deere 4045T or equal). Engine shall have EPA Tier				
	4 final emissions compliant without the use of				
	diesel exhaust fluid				
	Horsepower rating shall be 74 HP @ 2400 RPM				
	Engine shall be rubber mounted				
	An engine pre-cleaner is required				
	For greater heat dissipation and lower cost of				
	maintenance, engine shall have individually				
	replaceable wet sleeve cylinder liners				
	Air cleaner shall be dual element safety dry-type				
	Anti-freeze/water mixture shall be rated at -20		T	1	
	degrees.				
	Diesel fuel tank shall have a minimum capacity of				
	35 U.S. gallons				
	For operator safety in the event of engine cutout,				
	steering system shall have a manual override				
	An engine shutdown shall be included which				
	protects against damage when either low oil				
	pressure or high coolant temperature conditions				
	occur				
4	Hydrostatic Transmission	Г	1	1	
	Pump shall be variable displacement with separate				
	variable displacement wheel drive motors				
	Power shall be evenly distributed through				
	planetary torque hubs				
	Power shall be transferred from wheel drive				
	motors to planetary torque hubs without side				
\vdash	loading Single foot pedal shall automatically produce				
	required torque at a set pressure				
\vdash	To prevent the possibility of contamination and				
	the resulting damage to the transmission system,				
	transmission shall be protected by 10 micron filter				
	with cab restriction indicator				
	Single foot pedal shall control both forward and			1	
	reverse directions				
5	Tires and Wheels			1	I
	Front drive tires shall be tubeless radial tires,				
	11R22.5 (14 Ply Rated) mounted on disc wheels				
	Dual rear tires shall be tubeless radial tires,				
	215/75R 17.5 load range H mounted on disc				
	wheels				
	To reduce chassis fatigue, sweeper shall be				
	equipped with rear swingarm suspension utilizing				
	two large heavy duty springs for the rear fully				
	sprung guide wheels	1	1		

		Does Not	Meets	Exceeds	
	Minimum Specification	Meet Spec	Spec	Spec	Comments
6	Brakes				
	Service brakes shall be full power, hydraulically				
	applied, two-caliper disc type				
	For safety, the hydrostatic system shall be				
	equipped with a priority relief valve to enable the				
	sweeper to gradually coast to a stop when the				
	accelerator pedal is released. The City has				
	determined that systems that abruptly stop the				
	sweeper by dynamically braking when the				
	accelerator pedal is in the neutral position are				
	potentially dangerous to our operators and				
	following vehicles and will not be accepted				
	For safety, loss of engine power shall not				
	automatically engage brakes				
	For safety, loss of hydraulic power shall not				
	automatically engage brakes				
	For safety, neither brake engagement nor				
	disengagement shall be dependent upon the				
<u> </u>	engine running				
	For safety, neither brake engagement nor				
	disengagement shall be dependent on any electrical circuit				
	To safely provide redundancy, parking brake shall				
	be positively and mechanically applied to drive				
	axle				
	Neither parking brake engagement nor				
	disengagement shall be dependent on any				
	electrical circuit				
7	Cab		1	I	
-	To maximize operator visibility, cab glass area shall				
	be not less than 6,000 square inches				
	For maximum operator visibility, doors shall be				
	solid glass				
	Front windows shall be tinted. Front window area				
	shall be a minimum of 2600 square inches for				
	optimum forward visibility				
	For safety, minimum cab visibility shall be				
	approximately 360 degrees without using mirrors				
	For operator safety, cab doors shall be rear				
	opening (hinged at front)				
	Right-hand (curbside) seat shall be woven nylon				
	cloth upholstered, foam cushioned bucket type				
	with air ride suspension mounting and seat belts.				
	Left-hand (streetside) seat shall be woven nylon				
	cloth upholstered, foam cushioned bucket type				
	with air suspension mounting and seat belts				
	Sweeper shall include one (1) inside rear view				
	mirror and two (2) outside heated west coast type				
	mirrors, power adjustable, 4 way		<u> </u>	ļ	
	Radio compartment for two-way radio centered in				
	overhead console				
	Three points of contact to access the cab				
			1		

		Does Not	Meets	Exceeds	
	Minimum Specification	Meet Spec	Spec	Spec	Comments
	To maximize operator visibility, outside mirrors				
	shall be mounted in front of the cab enclosure and				
	not directly to the cab enclosure				
	For safety during night sweeping, rocker switches				
	shall be internally illuminated so that they can be				
	readily identified without the use of the cab dome				
	light				
	Windshield wiper shall be two speed intermittent				
	with washer				
	Interior of cab shall be lined with acoustical				
	insulation, have automotive type trim and center console				
	There shall be a soft textured steering wheel with center horn at the operator position with tilt and				
	• •				
\vdash	telescopic steering wheel for safer operation Dash shall be faced with soft molded plastic				
	Sweeper shall have an automatic electronic back- up alarm				
	Sound levels within the cab shall not exceed OSHA				
	standards				
	Door latch systems shall be FMVSS approved				
	Doors and ignition shall be keyed alike				
	Unit shall include a AM/FM/CD Radio with two (2)				
	map lights				
	Air conditioned cab is a requirement				
	Unit shall include heavy duty dual curbside and streetside limb guards				
8	Side Brooms	[1	
0	Side Brooms				
	Side brooms shall be bydraulis driven wortical				
	Side brooms shall be hydraulic driven, vertical				
	digger type mounted on curbside and streetside				
	digger type mounted on curbside and streetside In-cab side broom tilt function				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36",				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of tire while sweeping				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of tire while sweeping Side brooms shall have in-cab tilt with in-cab tilt				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of tire while sweeping Side brooms shall have in-cab tilt with in-cab tilt degree Indicators				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of tire while sweeping Side brooms shall have in-cab tilt with in-cab tilt				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of tire while sweeping Side brooms shall have in-cab tilt with in-cab tilt degree Indicators To protect the broom mechanism, the side				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of tire while sweeping Side brooms shall have in-cab tilt with in-cab tilt degree Indicators To protect the broom mechanism, the side brooms shall raise automatically when the				
	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of tire while sweeping Side brooms shall have in-cab tilt with in-cab tilt degree Indicators To protect the broom mechanism, the side brooms shall raise automatically when the sweeper is reversed. The brooms will return to its				
9	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of tire while sweeping Side brooms shall have in-cab tilt with in-cab tilt degree Indicators To protect the broom mechanism, the side brooms shall raise automatically when the sweeper is reversed. The brooms will return to its sweep position and set down pressure when a				
9	digger type mounted on curbside and streetside In-cab side broom tilt function To provide flexibility for varying sweeping conditions, broom speed shall be variable (90 RPM to 160 RPM) by operator from cab while moving independent of sweeping speed Broom down pressure shall be adjustable by operator from the cab while sweeping Side brooms shall consist of four (4) replaceable plastic segments, filled with 26" long tempered wire Side broom diameter shall be not less than 36", protruding not less than 13" beyond outside of tire while sweeping Side brooms shall have in-cab tilt with in-cab tilt degree Indicators To protect the broom mechanism, the side brooms shall raise automatically when the sweeper is reversed. The brooms will return to its sweep position and set down pressure when a forward direction is resumed				
9	digger type mounted on curbside and streetsideIn-cab side broom tilt functionTo provide flexibility for varying sweepingconditions, broom speed shall be variable (90 RPMto 160 RPM) by operator from cab while movingindependent of sweeping speedBroom down pressure shall be adjustable byoperator from the cab while sweepingSide brooms shall consist of four (4) replaceableplastic segments, filled with 26" long temperedwireSide broom diameter shall be not less than 36",protruding not less than 13" beyond outside oftire while sweepingSide brooms shall have in-cab tilt with in-cab tiltdegree IndicatorsTo protect the broom mechanism, the sidebrooms shall raise automatically when thesweeper is reversed. The brooms will return to itssweep position and set down pressure when aforward direction is resumedMain Broom				

		Deec Net	Mooto	Fuenda	
	Minimum Englification	Does Not	Meets	Exceeds	Commonts
	Minimum Specification	Meet Spec	Spec	Spec	Comments
	To provide flexibility for varying sweeping conditions, broom speed shall be variable (80 RPM				
	to 140 RPM) by operator from cab while moving				
	independent of sweeping speed				
	Broom shall be prefab disposable type, filled with				
	polypropylene				
	Broom shall be double wrapped poly bristle				
	construction				
	Sweeping path shall be not less than 8 feet wide				
	with one gutter broom activated				
	To protect the broom mechanism, the main				
	broom shall raise automatically when the sweeper				
	is reversed. The broom will return to its sweep				
	position and set down pressure when a forward				
	direction is resumed				
10	Conveyor	<u> </u>			
•	Conveyor shall be reversible in direction without				
	stopping or reversing any broom				
	Conveyor with Chevron style cleats and sipes shall				
	be hydraulically driven and able to load hopper to				
	100% of rated useable capacity				
	Conveyor shall be capable of effectively sweeping				
	debris of varying sizes (from large bulky trash 6" in				
	height to fine sand) without the need to make any				
	adjustments to the conveyor system				
	To reduce wear on all conveyance components, a				
	conveyor belt having molded Chevron style cleats				
	and sipes shall carry, not drag, debris to the				
	hopper				
	Conveyor shall have a washout function that is				
	activated by diverting water at the hydrant fill				
	valve during the fill process				
11	Hopper		1		1
	For safety, the hopper shall be front dumping,				
	allowing an operator to observe the dump target				
	and surrounding area at all times from the cab				
	without the use of mirrors		-		
	Hopper shall dump at varying heights ranging from				
	ground level through a height of 9.5 feet				
	Hopper shall have a dumping reach of 33 in.				
	forward				
	To extend wear life, tilt arm bearings shall be				
	perma-lube Teflon impregnated composite		-		
	Dump cycle shall be not more than 60 seconds				
	Volumetric capacity shall be not less than 3.6				
	cubic yards, useable capacity not less than 3.5				
12	cubic yards				
12	Water System				
	Tank capacity shall be not less than 220 U.S. gallons				
	Tank shall be constructed of non-rusting material				
	(polyethylene or 7 gauge type 304 stainless steel).				
	Because epoxy lining has the potential to chip and				
	flake off causing clogs in the water system, water				

		Does Not	Meets	Exceeds	
	Minimum Specification	Meet Spec	Spec	Spec	Comments
	tank constructions containing epoxy liners will not	Meet Spec	Sher	эрес	comments
	be accepted				
	STATE TANK CONSTRUCTION:				
	Storage basket shall be provided for fill hose				
	Water fill gauge shall be visible from curbside				
	operating position				
	Sweeper shall be equipped with an automatic				
	internal hopper/conveyor flush and wash down				
	system.				
	Water fill hose shall be not less than 16'8" in				
	length, equipped with 2-1/2" NST hydrant coupler				
	Pump shall be twin diagram capable of running dry				
13	Hydraulic System		•		
	Power shall be provided by shaft and gear driven				
	pumps				
	Hydraulic reservoir shall be not less than 33				
	gallons, baffled and with sight gauge				
	Test ports shall be at staggered height, including				
	individual ports for sweeping functions, hopper				
	functions and propulsion				
	To prevent contamination of the reservoir during				
	the dump cycle, the reservoir vent shall be				
	equipped with 10 micron, spin on filter				
	To prevent the possibility of contamination and				
	the resulting damage to the hydraulic system,				
	suction lines for drive to have 10 micron filter with				
	cab mounted restriction indicator				
	To prevent the possibility of contamination and				
	the resulting damage to the hydraulic system,				
	return lines for drive to have 10 micron filter with				
	cab mounted restriction indicator				
	To prevent contamination of the reservoir when				
	adding hydraulic fluid, all oil added shall pass through a 10 micron filter located within the fill				
	spout				
	To maximize cooling efficiency and permit				
	thorough cleaning, the hydraulic cooler shall be				
	mounted along side the water radiator				
	Cooler shall be protected by a 125 PSI bypass				
	valve				
	To minimize environmental damage caused by				
	leaking hydraulic fittings, all pressure hydraulic				
	fittings shall be flat-face "O" ring or "O" ring boss				
	type				
	All circuits shall have quick-disconnect check ports				
	A warning indicator shall be supplied to warn				
	operator if the hydraulic oil in the reservoir falls				
	below the acceptable level required				
	A hydraulic low level and high temperature				
	shutdown will be provided				
14	Electrical		1	1	
	Unitized alternator/regulator shall be not less than				
	120 ampere				

		Dess Nat	Masta	<u>Fueneda</u>	
	Minimum Cresification	Does Not	Meets	Exceeds	Commonte
	Minimum Specification	Meet Spec	Spec	Spec	Comments
	Battery shall be maintenance free, 12 volt, 180				
	minimum reserve, 925 CCA, battery disconnect				
	For safety, all electrical circuits shall be protected				
	with automatically self-resetting circuit breakers				
	which do not require any action by the operator to				
	reset				
	All terminals and electrical splices shall be crimped				
	and soldered				
	For ease of electrical "trouble shooting", all wiring				
	shall be harnessed, identified by color coded and				
	word coded wires (i.e. "Ignition", "Headlight" etc.)				
	All lighting to be LED				
	All lighting shall be D.O.T. approved including				
	combination stop and tail lights, sealed multiple				
	beam headlights, high beam - low beam switch,				
	adjustable side broom spotlights, illuminated				
	gauges and instrument panel, internally				
	illuminated rocker switches, self- canceling				
	directional signals, and hazard switch				
	To prevent deterioration from oxidation all				
	electrical splices shall be fully and completely insulated with heat shrinkable tubing				
	All electrical connections shall be sealed with				
	weatherproof, polarized connectors				
	Unit shall have LED stop/tail/turn/clearance lights				
	Unit shall have (2) top-mounted LED strobes with				
	guard				
	Unit shall have rear bumper mounted LED strobes				
	Unit shall have (2) rear mounted back-up LED				
15	flood lights				
15	Controls All sweeper controls shall be mounted on a central	[
	•				
	control console with locking ignition for use from				
	right position. This allows the operator to view all				
	important information from either operating position				
	The controls shall include all sweep, spray water,				
	and lighting functions				
	The controls for sweep, spray water and lighting				
	functions shall be conventional rocker switches				
	Rocker switches shall be clearly identified by name				
	and international symbol				
	Hydraulic functions shall be controlled by electric				
	rocker switches				
	Hopper dump functions shall be controlled by a				
	single "joy" stick that meets the SAE standard.				
	Multiple levers are not acceptable				
16	Instruments	1			
	Instrument panel shall be full vision illuminated				
	with tachometer, hour meter, speedometer,				
	odometer, fuel gauge, hydrostatic oil temperature				
	gauge, water temperature gauge, oil pressure				
	gauge, voltmeter gauge, hydraulic filter/drive filter				
	indicator and engine air intake restriction indicator				

		Does Not	Meets	Exceeds	
	Minimum Specification	Meet Spec	Spec	Spec	Comments
	An automatic rear view camera with full color 5.6"				
	LCD monitor shall be provided. Camera shall				
	monitor display the area behind the sweeper				
	whenever the sweeper is moving in reverse. The				
	display shall be selectable to allow continuous rear				
	view at all times. The display shall have an				
	additional camera input to allow future expansion				
	of additional cameras. The camera shall be				
	equipped with infrared lamps to allow night vision				
17	Paint		•		•
	All visible exterior metallic surfaces shall be coated				
	prior to assembly with polyester powder coat. The				
	paint must be a minimum of 2 mils thick. The uses				
	of acrylic enamels and/or polyurethane are not				
	acceptable				
	Color shall be the color of "White"				
	Vehicle shall have an accent color of Grey on the				
	lower portions of the unit				
18	Manuals	_			
	A sweeper parts manual shall be provided				
	A sweeper operation manual shall be provided				
	A sweeper service manual shall be provided				
	Engine operators/parts/service manual(s) shall be				
	provided				
19	Warranty				
	Manufacturer's warranty shall be not less than				
	one (1) year				
20	Service and Training				
1	Vendors shall have a full parts and service facility				
	within a reasonable distance from the City Fleet Services. State location and distance:				
	A qualified technician shall provide complete				
	training to City personnel at the Fleet Services.				
	Training shall include safety, operation,				
	maintenance and service				

Description	Firm fixed price
Price for one (1) Elgin Pelican Street Sweeper or Equivalent per the specifications in the bid	\$
documents	

Street Sweeper Manufacturer, Model and Model Year			
Is bidder authorized by the manufacturer to sell, warrar	nt and service equipment as bid	Yes	No
Descriptive literature included with the bid submittal	Yes No		
Warranty information included with the bid submittal	Yes No		

An approved purchase order will be the document that authorizes the order to be placed.

Estimated delivery time upon receipt of purchase order:

_____ calendar days

DELIVERY ADDRESS	BILLING ADDRESS
Joy Huber	Finance Department – Accounts Payable
Fleet Services Division 500 15 th Ave SW	City of Cedar Rapids 101 1 st St SE
Cedar Rapids, IA 52404	PO Box 2148
	Cedar Rapids, IA 52406-2148

Name of Company: Authorized Signature: Date:

SIGNATURE PAGE FORM

The undersigned, having examined these documents and having full knowledge of the condition under which the work described herein must be performed, hereby proposes fulfillment of the obligations contained herein in accordance with all instructions, terms, conditions, and specifications set forth; and that all required equipment be furnished and all incidental costs be paid in strict conformity with these documents, for the stated prices as payment in full.

Submitting Firm:					
Address:					
City:	County:		State:	Zip:	
Authorized Representative (print):			Tit	tle:	
Authorized Signature:					
Date:		E-mail:			
Phone # _ (_)		Fax #	()		
Federal ID Number					
Iowa Department of Labor Registrati	on Number, if app	licable			

The State of Iowa requires that all individual contractors and businesses performing "construction" work within Iowa be registered with the Division of Labor and renew that registration annually. More information about this law can be found at http://www.iowaworkforce.org/labor/contractor.htm

FIRM PRICING

Offered pricing shall remain firm for a minimum of sixty (60) days after the due date of this solicitation unless indicated otherwise. Accepted pricing shall remain firm for the duration of the contract.

ADDENDA {It is the Bidder's responsibility to check for issuance of any addenda}

The above-signed hereby acknowledges receipt of the following addenda:

Addenda Number:	Date:	Addenda Number:		Date:		
Addenda Number:	Date:	Addenda Number:		Date:		
PAYMENT METHOD Do you accept a credit	card for payment of purchases?	Yes 🗌	No 🗌			
QUICK PAY DISCOUNT If you provide a discou	r Int for quick payment, please state tl	ne discount and terms:			%	days
Does this discount app	bly to payments made by MasterCarc	I?	Yes 🗌	No 🗌		

We choose not to bid at this time. We would like to be considered for future solicitations.

The Cedar Rapids City Council adopted the Buy Local Purchasing Policy through City Council Resolution No. 1239-10-10.

- 1. Who is local?
 - a. Businesses located within Linn County, Iowa who have paid Linn County property taxes on a plant, office or store occupied by the business for the past year; or
 - b. Businesses located within Linn County, lowa who have paid rent for the past year to a landlord or owner who has paid Linn County property taxes for the past year on the plant, office or store occupied by the business.
- 2. How do I apply for local preference status?
 - a. Complete a "Local Business Certificate". (See page 3 of this packet)
 - b. Mail the notarized, completed certificate to:

City of Cedar Rapids – Purchasing Division 101 First Street SE Cedar Rapids, IA 52401

3. <u>After I return the notarized certificate, how do I know if my business is on the list?</u>

A list of certified businesses can be viewed on the City's website:

http://www.cedar-rapids.org/local_government/departments_g_-v/purchasing_services/buy_local.php Please allow up to 10 days for processing of the certificate before the business is listed.

4. <u>Will the local preference policy be applied to all purchases for goods and services?</u>

No, the following types of purchases are excluded:

- a. Purchases subject to the competitive laws of the State of Iowa
- b. Purchases subject to federal, state or county grant stipulations
- c. Purchases from the State of Iowa or other national contracts
- d. Sole source purchases

5. <u>Do you have questions or feedback about the Buy Local Program?</u>

Please send questions via email to buylocal@cedar-rapids.org

6. If I work out of my home, and my home is in Linn County, am I eligible to become a certified local business?

In order to qualify as local business your business must pay commercial property taxes related to the business being certified as local business. Residential property taxes paid for a home business do not qualify for the buy local certification.

7. <u>How does the Buy Local Program work?</u>

Preference shall be applied to acceptable quotes, bids and proposals greater than \$1,000 from businesses within Linn County, Iowa who have submitted a notarized "Local Business Certificate".

Example A: Preference shall be given in the procurement of goods and/or services by <u>bid or quote</u> when a local Contractor's bid or quote exceeds the acceptable low bid by no more than:

10% for bids less than \$25,000

5% for bids equal to or greater than \$25,000 but less than \$200,000

1% for bids equal to or greater than \$200,000

Bid Tabulation for a 20' Enclosed Trailer			
	Contractor A	Contractor B	Contractor C
	Marion, IA	Des Moines, IA	Davenport, IA
BID PRICE	\$ 15,147.99	\$ 14,770.55	\$ 18,250.00

- This bid is less than \$25,000 so the preference is 10%
- Contractor B submitted the lowest bid of \$14,770.55
- Contractor B is not a local business
- Contractor A submitted the next lowest bid of \$15,147.99
- Contractor A is a certified local business
- \$15,147.99 \$14,770.55 = \$377.44 / 14,770.55 = 2.56%
- The difference between the two bids is 2.56% which is within 10% so the local preference applies
- The bid is awarded to the local Contractor A for \$15,147.99

Example B: Preference shall be given in the procurement of goods and/or services by <u>Request for Proposal</u> (RFP) by awarding additional points to the evaluation scores of proposals received from certified local businesses as follows:

10% of all available points for proposals less than \$25,000

5% of all available points for proposals equal to or greater than \$25,000 but less than \$200,000

1% of all available points for proposals equal to or greater than \$200,000

Proposal Summary				
	Contractor A	Contractor B	Contractor C	
	Iowa City, IA	Cedar Rapids, IA	Hiawatha, IA	
Points	976.7	723	636.8	
Points for Local Preference	0	50	50	
TOTAL POINTS	976.7	773	686.8	

- This proposal is greater than \$25,000 but less than \$200,000 so the preference is 5%
- The total available points are 1,000 (5% of 1,000 points = 50 points)
- The proposal received from Contractor A was given 976.7 points by the evaluation team
- Contractor B and Contractor C each received 50 additional points per the local preference policy
- After the additional points were applied, Contractor A remained the highest ranked proposal
- Local preference did not change the award in this case



STATEMENT OF POLICY

CITY OF CEDAR RAPIDS LOCAL BUSINESS CERTIFICATE

Pursuant to Cedar Rapids City Council Resolution 1239-10-10, in conducting the procurement of goods and/or services by competitive solicitation, the City of Cedar Rapids shall give preference to a responsive bid or proposal from a business located within the limits of Linn County, Iowa over an acceptable bid or proposal submitted by a business located outside of Linn County.

Preference shall be given in conducting procurement of goods and/or services by bid or quote when a local bidder's bid or quote exceeds the acceptable low bid by no more than:

- 10% for bids less than \$25,000
- 5% for bids equal to or greater than \$25,000 but less than \$200,000
- 1% for bids equal to or greater than \$200,000

Preference shall be given in conducting procurement of goods and/or services by request for proposal by awarding additional points to each proposal where the business is located in Linn County as follows:

- 10% of all available points for proposals less than \$25,000
- 5% of all available points for proposals equal to or greater than \$25,000 and less than \$200,000
- 1% of all available points for proposals equal to or greater than \$200,000

The local preference is not applicable to goods and services purchased with the assistance of federal, state or county grants or funds, or pursuant to the competitive laws of the State of Iowa.

WRITTEN STATEMENT REQUESTING LOCAL BUSINESS STATUS

I,, am a	n authorize	ed represer	ntative of	(name of
business) and on behalf of the business request t	hat it be de	emed to be	a local business for purposes of the City of	Cedar Rapids
"Buy Local" program. Answering yes to questio				
business. In support of this request I certify the f				
Name of Business Here $\rightarrow \rightarrow \rightarrow$				
(1) Is your business located within the limits of				
Linn County, Iowa?	Yes	∐ No	No. of Years:	
			Street address of property:	
(2) Did your business pay Linn County property	☐ Yes	□ No		
taxes on a plant, office or store occupied by			Is this your home residence? Yes	No
the business for the past year?			If yes, see page 1, #6	
(3) Did your business pay rent for the past year			Street address of property:	
to a landlord or owner who has paid Linn		_		
County property taxes for the past year on	∐ Yes	🗌 No	Is this your home residence? Yes] No
a plant, office or store occupied by your			If yes, see page 1, #6	
business?				
I understand that misrepresentation of any facts in	connection v	with this req	uest may be cause for removal from the certifi	ied local
business list. I also agree the business is required to	o notify the O	City in writin	g should it cease to qualify as a local business.	
Signature	Title		Date	
Address	City/Stat	te	Zip	
Phone	Email		County	
Subscribed and sworn to this day of		, 20 bet	fore the undersigned Notary Public.	
/		· <u> </u>	<i>c i</i>	
			NOTARY PUBLIC, STATE OF IOWA	
To confirm your status, check the certified local bus	iness list wh	ich is noster	on the City's website:	
http://www.cedar-rapids.org/local_government/de		•		
Questions about the Buy Local program may be emainted				
Mail the notarized, completed certificate		City of Ceda		
		•	partment – Purchasing Services Division	
Internal Use Only:		101 First St	-	
-		Cedar Rapio	ds, IA 52401	
Contractor ID: Contractor I	Location ID:		Updated by:	