

BID TABULATION

8" Centrifugal Trash Pump

Bid #0909-065

October 1, 2009 at 2:30 pm CDT

VENDORS		Central Service & Supply	Gierke-Robinson Company	Global Pump LLC	Rexo Equipment Company (1 of 2)	Rexo Equipment Company (2 of 2)	Road Machinery & Supplies Company	Scott Van Keppel	Star Equipment, Ltd	United Rentals
Line Item	Description									
Bid Submittal Form										
1	Price for one (1) 8" trash pump	\$28,933.00	\$35,600.00	\$52,743.00	\$28,615.00	\$29,734.00	\$58,110.00	\$41,500.00	\$32,624.00	\$51,840.00
2	Less government price concessions	In above price	\$0.00	-\$17,743.00	\$0.00	\$0.00	\$0.00	-\$3,515.00	\$0.00	-\$11,520.00
3	Total price for one (1) trash pump	\$28,933.00	\$35,600.00	\$35,000.00	\$28,615.00	\$29,734.00	\$58,110.00	\$37,985.00	\$32,624.00	\$40,320.00
4	Manufacturer	Godwin Pumps	MWI Corp	Global Pump LCL	Powley Pumps	Acme Dynamics	Gorman-Rupp	Thompson Pump	Pioneer	Multi-Quip
5	Model	CD200M	CT008	8GSTAP-J4-T-OF-CF	GP200	DP200/D	PA8C60-4045H	8V-DJDST45TF 280-80	PP88S12L72-D914L04	MP200SDCTS
6	Delivery date after purchase order	21 Days	45 Days	30 Days	15 Days	60 Days	30 Days	45 Days	15-20 Days	14 Days
7	4-cylinder, 4-cycle, turbo-charged fuel-injected diesel engine, minimum 80-90 net horsepower @ 1800 RPM, per SAE J1349	Meets	Does Not Meet	Meets	Does Not Meet	Meets	Meets	Meets	Does Not Meet	Meets
	Specify torque rating _____	220 lb ft	75 hp @ 1800 rpm	261 ft lb 95 hp @1900 rpm	75 hp	176.9 lb-ft.	115 hp Deere	211 lb ft/286 nm, 87 hp @ 1800	75.2 hp, 210 ft. lb.	60 hp air cooled
8	Overall length approximately 140"	Meets	Exceeds	Meets	Meets	Meets	Exceeds	Exceeds	Meets	Does Not Meet
	Specify length _____	117-7/16"	147-1/2"	151"	140"	139"	154"	166-1/2"	144"	120"
9	Overall width approximately 68"	Meets	Does Not Meet	Meets	Meets	Meets	Exceeds	Exceeds	Meets	Exceeds
	Specify width _____	65-7/8"	65"	77-1/4"	68"	69"	70.25"	73"	67"	75"
10	Overall height approximately 80"	Meets	Exceeds	Meets	Meets	Meets	Exceeds	Exceeds	Meets	Exceeds
	Specify height _____	74-3/4"	92-1/2"	93-5/8"	80"	77"	118"	87"	78"	85"
11	Minimum gross vehicle weight 2800#	Exceeds	Exceeds	Meets	Meets	Meets	Meets	Exceeds	Meets	Meets
	Specify GVW _____	3500#	3900#	4600#	3200#	3000#	4850#	4290#	5200#	2800#
12	Electric engine start	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
13	60 US gallon fuel tank capable of approximately 24 hours of pump run time	Meets	Exceeds	Exceeds	Exceeds	Meets	Exceeds	Exceeds	Exceeds	Meets
	State tank capacity _____		94 gallons	80 gallon	110 gallon	60 gallon	88 gallon	69 glalon	85 gallon; min 29 hr run time	125 gallons
14	Battery, 12V 770 CCA	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
	Standard alternator-driven charging system									
15		Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
16	Maximum operating speed 1800 RPM	Exceeds	Exceeds	Exceeds	Meets	Meets	Exceeds	Meets	Meets	Meets
	State maximum _____	2200 rpm	2000 rpm	1900 rpm	1800 rpm	1800 rpm	1900#	1800#	1800 rpm	1800 rpm
17	Maximum operating temperature 212° F	Meets	Meets	Does Not Meet	meets	Meets	Meets	Meets	Meets	Meets
	State temperature _____	212 degrees		160 degrees	212 degrees	212 degrees		212 degrees	212 degrees	

BID TABULATION
8" Centrifugal Trash Pump
Bid #0909-065
October 1, 2009 at 2:30 pm CDT

VENDORS		Central Service & Supply	Gierke-Robinson Company	Global Pump LLC	Rexo Equipment Company (1 of 2)	Rexo Equipment Company (2 of 2)	Road Machinery & Supplies Company	Scott Van Keppel	Star Equipment, Ltd	United Rentals
Line Item	Description									
18	Maximum working pressure 76 psi State maximum _____	Does Not Meet	Does Not Meet	Meets	Meets	Exceeds	Meets	Exceeds	Meets	Meets
		74 psi	74 psi	72 psi	76 psi	86 psi	76 psi	78 psi	184 psi	
19	Maximum casing pressure 104 psi State maximum _____	Exceeds	Does Not Meet	Exceeds	Meets	Exceeds	Exceeds	Exceeds	Meets	Meets
		106 psi	Meets ANSI spec	150 psi	250 psi	147 psi	165 psi	110 psi	284 psi	
20	Centrally located and rubber shock absorber mounted operator station to include:	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
20a	Safety shutdown system	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
20b	Tachometer	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
20c	Volt meter, engine start	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
20d	Hour meter	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
20e	Oil pressure gauge	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
20f	Water temperature gauge (engine)	Meets	Meets	Meets	air cooled	air temp	Meets	Meets	Meets	Does Not Meet
21	Muffler and exhaust stack with weather protection bonnet/cap	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
22	Hot-dip galvanized or similarly treated trailer capable of supporting the pump system	Meets	Painted	Meets	Meets	Meets	Meets	Does Not Meet	primed, painted w/ warranty	Powder coated
23	Trailer jacks front and rear, minimum 5000# State size _____	Meets	Meets	Meets	Meets	Meets	Meets	Exceeds	Meets	Meets
		5000#		5000#		5000#		5000# 15"	5000#	5000#
24	Single axle, torsion flex type, minimum 3500# State size _____	Meets	Meets	Exceeds	Exceeds-Dexter	Meets	Meets	Exceeds	Exceeds	Meets
		3500#		6000#	6000#	3500#		5200#	5000#	3500#
25	205/75R14 or 15" tires, load range C State tire size _____	Meets	Meets	Meets	Exceeds	Meets	Meets	Exceeds	Exceeds	Meets
		ST205D15		205/75R15	225/75R15	ST205/75R14C		225-15D	235/85R16 "G" 14 ply	
26	Appropriate safety chains and anchors	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets
27	Fenders, rust resistant, bolt-on	Meets	Plastic	Meets	Meets	Meets	Meets	Meets	Meets	Meets
28	DOT approved LED lighting	Meets	Std lighting	Meets	Meets	Meets	Meets	Meets	Meets	Not LED
29	Pintle hitch and RV type wiring	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Does Not Meet
30	Double blade spiral type impeller – must met ASTM A636	3 van cast chrome steel	Exceeds	Exceeds	4 blade open impeller	Meets	Meets	Meets	Ductile iron	Does Not Meet
31	55 CFM oil flood lubricated heavy-duty sliding vane-type vacuum pump	Exceeds	Exceeds	Air compressor venturi priming	Meets	65 cfm	Does Not Meet	78 CFM	50 CFM	Does Not Meet

BID TABULATION

8" Centrifugal Trash Pump

Bid #0909-065

October 1, 2009 at 2:30 pm CDT

VENDORS		Central Service & Supply	Gierke-Robinson Company	Global Pump LLC	Rexco Equipment Company (1 of 2)	Rexco Equipment Company (2 of 2)	Road Machinery & Supplies Company	Scott Van Keppel	Star Equipment, Ltd	United Rentals
Line Item	Description									
32	Quick prime and re-prime down to 30'	28'	28' theoretical limit	Meets	Meets	Exceeds	Meets	Meets	Meets	25'
33	Suction and discharge fittings 8" - #150 standard flanges	Meets	Meets	Meets	Meets	Exceeds	Meets	Meets	Meets	Does Not Meet
34	Capable of passing solids, fibrous material, sludge, etc. up to 3"	Meets	Exceeds	Exceeds	Meets	Exceeds	Meets	Meets	Meets	Exceeds
35	Capable of running dry for long periods of time	Meets	Meets	Meets	Meets	Exceeds	Meets	Meets	Meets	Does Not Meet
36	Capable of pumping 2000 GPM at 32' and 22'-28' suction lift	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Does Not Meet
37	Performance Curve for the unit being bid showing air flow v. vacuum must be supplied	Air compressor used	Does Not Meet	Meets	Meets	Meets	Meets	Meets	Meets	Does Not Meet
38	Vendor must provide two (2) parts and repair manuals and one (1) operator's manual	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Meets	Does Not Meet
Signature Page										
1	Exceptions	See bid	See bid	See bid	See bid	See bid	See bid	See bid	See bid	See bid
2	Piggybacking?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3	Do You Accept Credit Card for Payment?	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes
4	Quick Pay Discount	1%, 10 Days	N/A	1.5%, 10 Days	N/A	N/A	N/A	N/A	N/A	N/A
5	Does Discount Apply to MasterCard?	No	N/A	No	N/A	N/A	N/A	N/A	N/A	N/A